## **Dual Extraction**

**Dual Extraction** is a quality-controlled extraction process, where two users independently extract data from each article, and then all data are adjudicated by an Administrator.

The Admin adjudicates any disagreement between Reviewer A and Reviewer B and sets the final determination for each study. For example, if Reviewer A extracts the mean age as 70 but Reviewer B extracts it as 71, the Adjudicator will then need to choose between those values and identify the correct one.

# Only those with Admin privileges can serve as Adjudicators, but any user can serve as a Reviewer

This feature is useful to ensure that your team curates the most accurate and high qualitly data possible. Dual extraction can help with this since it has been shown that dual extraction results in fewer errors than single extraction. (source)

## **Configure Dual Extraction**

Nest Home Dashboard	To configure dual extraction, go to the Admin page under settings and then scroll to the Extraction section. Then, toggle to dual extraction to turn this feature on.
Literature Search Other Sources Duplicate Review Search Exploration Query Builder	
Screening 3/3 Configure Exclusion Reasons Study Inspector	
Tagging 0/3   Configure Study Tags   Study Inspector	
Dual Extraction 2/3 Adjudicate Extraction Study Inspector	
Synthesis Manuscript Editor Export	
Settings Admin	

1/3



Warning: Toggling back from Dual Extraction to Standard Extraction will ONLY save final adjudications, and all data associated with non-final individual users' extractions will be lost!

### **Dual Extraction Steps**

#### 1. Two users must independently extract the data.

Once Dual Extraction is configured (see above), The software will automatically queue individual studies to users until at least two Extractions are Marked Complete.

If you need help with the Extraction process, check out this page. Each study will appear in the Adjudicate Extraction queue only after two independent extractions are Marked Complete.

Unlike Standard (single) Extraction, when a user is finished extracting in Dual mode, the data are NOT displayed on Synthesis. In Dual Extraction, data are queued for Adjudication, and displayed on Synthesis only after Adjudication on the study in question is Marked Complete.

#### 2. Adjudicate the data

Go to the Adjudicate Extraction page to review the data extracted by the two independent, underlying users. At first the page will appear the same as the Dual Extraction page. To view the two independent decisions, expand the right hand tabs by clicking the arrows icon in the left corners.

Abstract	Full Text       Supplements       Related Reports	■ 80 @ 0 @ 96 ⑦ 0	( PM	c v	₹	Navigation	^
Q			อิติ	$\ominus \oplus i$		Skip Co	mplete
					₹	Study Design	^
						Final	
		Journal of			Arms		
		Antimicrobial			1	ntervention Arm S	ize
	J Antimicrob Chemother 2020; <b>75</b> : 3379–3385 doi:10.1093/jac/dkaa334 Advance Access publication 19 August 2020	Chemotherapy					+
	uoli 10.1033/Juc/ukdu334 Auvalice Access publication 13 August 2020	enemotion apy			₹	Extracted Data	~
					Filter D	ata Elements	
	Sofosbuvir and daclatasvir compared with standa					Add one or more arms	
	treatment of patients admitted to hospital with m						
	coronavirus infection (COVID-19): a randomized	controlled trial					
	Anahita Sadeghi 💿 ¹, Ali Ali Asgari¹, Alireza Norouzi², Zahedin Kheiri³, Amir Anusł	irvani <sup>1</sup> Mahnaz Montazeri <sup>4</sup>					
	Hadiseh Hosamirudas <sup>15</sup> , Jarak Asguri, Janeza Holodzi, Zuneum Mieni, Alam Aldas Hadiseh Hosamirudas <sup>15</sup> , Shrin Afham <sup>16</sup> , Elham Akbarpour (1), Rasoul Alianneja Amir H. Davarpanah <sup>9</sup> , Jacob Levi <sup>10</sup> , Hannah Wentzel <sup>11</sup> , Ambar Qavi <sup>11</sup> , Anna Gar	d <sup>7</sup> , Amir Reza Radmard <sup>8</sup> ,					
	Amir H. Davarpanah <sup>9</sup> , Jacob Levi <sup>10</sup> , Hannah Wentzel <sup>11</sup> , Ambar Qavi <sup>11</sup> , Anna Gar Andrew Hill <sup>14</sup> and Shahin Merat () <sup>1</sup> *	att <sup>12</sup> , Bryony Simmons <sup>13</sup> ,	Dow				
	Andrew Hill** and Shahin Merat 🔟 **		Download				

This will display three columns: Reviewer A, Reviewer B, and Final. The adjudicator will put the correct data in the Final column, adjudicating differences between the reviewers. Disagreements between

reviewers are highlighted in red. The adjudicator can choose to input the same data as either of the reviewers or neither of them if they were both wrong. To enter in data, hit the plus sign and fill in the cells. You may use the arrows icon to toggle between viewing reviewer decisions and the study. When done, to move on to the next study, hit Complete in the top right corner.

₹				Navigation								/		
Back										(	Skip Co	mplete		
₹				Study Design								/		
Arms	Reviewer A			Reviewer B					Final					
Intervent		Arm Size	Intervention		Arm Size		Intervention				Arm Size			
Dadatas	vir	12	Daclatas	vir	11	$\checkmark$								
Sofosbur	vir	10	Sofosbu	vir	10	$\checkmark$								
												+		
₹				Extracted Data	a							/		
Filter Data Elements														
Reviewer A			Reviewer B				Final							
Age Median⊗			Age Median 🤣				Age Median 🔗							
Asthma 🎸			Asthma 🔗			Ast	hma 🌮							
Timepoint	Time	Units	Timepoint	Time	Units		Timepoint		Time		Units			
Baseline	5	Days	Baseline	5	Days	$\checkmark$	Baseline	~		0	Days	~		
Arm	Events	Total	Arm	Events	Total		Arm		Events		Total			
Daclatasvir	2	12	Daclatasvir	4	11	$\checkmark$								
Sofosbuvir	1	10	Sofosbuvir	3	10	$\checkmark$								

From: https://wiki.nested-knowledge.com/ - Nested Knowledge

Permanent link: https://wiki.nested-knowledge.com/doku.php?id=wiki:autolit:extraction:dual&rev=1663368527

Last update: 2022/09/16 22:48

3/3