Nested Knowledge - https://wiki.nested-knowledge.com/

# **Related Reports**

#### Use case:

Imagine you're screening studies and you see data from the same clinical trial spread out across multiple papers. You might include all these studies, but it's important to differentiate *studies* from *reports.* Each clinical trial is a *study* that in this case has multiple *reports* published. We would want this information reflected in the PRISMA diagram so that it is clear to the reader the number of unique datasets that are in the review versus the number of reports.

On the NK site, you can mark a study as a related report, and our software will automatically adjust the PRISMA diagram to reflect this. To mark a paper as a related report, follow these instructions.

# 1. Navigate to the study that is a related report in study inspector and click on the "Related Reports" tab.

{NESTED} KNOWLEDGE							About Docs Supp	ort AutoLit	Nico
E Study Ins	Abstract Rull Text Supplements Related Reports	9 @ 3 ( PubMed 🗸	)		Screen Tag	Extract			
Nest Home Dashboard	۵. 🖉 که که	96⊙⊕ 8	≓ 0		Study D	Design		^	
Literature Se Other Sources Duplicate Review Search Exploratio Query Builder	ANTIFETER & REFERENCES N. A. Marti, S. M. Stall, Spithol (2010) 1001 All Hallow, 1001 401 All Lowership (2011). All Sector and generating 2011. All Antipeter Colling of Researching	Î		lint 10 ; p	ervention ng (SC) Sing 25ng Jacobo	• • •	Arm Size	157 11 154 12 155 12 155 12	
Screening Canfigure Screeni Study Inspector Tagging	Tanezumab Reduces Osteoarthritic Hip Pain Tanezumab Reduces Osteoarthritic Hip Pain								
Configure Study T Study Inspector	Results of a Randomized, Double-Blind, Placebo-Controlled Phase III Trial		~	Cutcome Arm	Perisheral neuropathy	Time T2 Hysoerthesia	Days Paraesthesia	~ 🗎	
Extraction Study Inspector	Mark T. Brown, <sup>1</sup> Frederick T. Murphy, <sup>2</sup> David M. Radin, <sup>2</sup> Isabelle Davignon, <sup>1</sup> Michael D. Smith, <sup>1</sup> and Christime R. West <sup>1</sup>			10mg (1C) Smg 2.5mg		3 0 2	3 2 6	<ul> <li>合</li> <li>合</li> <li>合</li> <li>合</li> </ul>	
Synthesis Manuscript Editor Export	Objective. To compare the efficacy of tanezumah versus placebo for reducing pain and improving physi- nel for the plan and timproving physi- etal plan plan and timproving physi- sing to those previously preptied. The tanezumah OA		≺ Age (Mean) Ø	Paten		w]	a.	+	

### 2. Search for the related report.

The search only applies to this nest in AutoLit. You can search using the title, author, or year.

<b>{NESTED}</b> KNOWLEDGE						
E Study Ins	(Abstract Full Text Supplements Related Reports (2)			E 29 ⊙ 1 ⊙ 34 3 0	PMC v	
Dashboard	safety <u>birbara</u> 2017 Birbara, C.A. 2017, Efficacy and safety of subcutaneous tanezumab in patients with)					
Literature Se	🖹 Related Reports 🕅					
Other Sources Duplicate Review Search Exploratio Query Builder	Title	Author	Year	Screening	Primary 🔟	
Screening Configure Screeni Study Inspector						
Tagging Configure Study T Study Inspector						

3. Click on the study that you want to mark as a related report and click "Mark Related."

Last update: 2022/08/16 wiki:autolit:screening:relatedreports https://wiki.nested-knowledge.com/doku.php?id=wiki:autolit:screening:relatedreports&rev=1660687480 22:04

-					
<b>{NESTED}</b> KNOWLEDGE					
E Study Ins	Abstract Full Text Supplements Related Reports			E 29 ⊙ 1 ⊘ 34 ⑦ 0	
Nest Home Dashboard	Birbara, C.A. 2017, Efficacy and safety of subcutaneous tanezumab in patients wit			Mark Duplicat	e Mark Related 🗎
Literature Se	e	Related Reports 🕐			
Other Sources Duplicate Review Search Exploratio Query Builder	Title	Author	Year	Screening	Primary 🔟
Screening Configure Screeni					
Study Inspector Tagging					
Configure Study T					

## 4. Select which study is the primary report.

Abstract Full Text Supplements Related Reports			E 29 O 1 O 34 0 0	DOI	~		
(Search for Related Reports (Ti/Au/Year) Q)			Mark Duplicate Mark Related				
🖹 Related Reports 🕐							
Title	Author	Year	Screening	Primary	莭		
Safety and efficacy of subcutaneous tanezumab in patients with knee or hip osteoarthritis. (Sec Current	Birbara	2018	Included	0	団		
Efficacy and safety of subcutaneous tanezumab in patients with knee or hip osteoarthritis (NCT0108	Birbara	2017	Secondary analysis	Ο	団		

5. When you go to the PRISMA diagram, it will reflect both the number of studies and the number of reports in the bottom left box.



#### Clinicaltrials.gov Integration:

When you run a search on clinicaltrials.gov on the NK platform, related reports will be marked automatically.

