

Nest Protocol

Purpose

The Nest Protocol outlines the goal, scope, and key tasks of your systematic literature review or meta-analysis. In it, the project leadership should provide critical background information, the context of the review, and primary and secondary endpoints.

Accessing the Protocol Editor

The Protocol can be viewed and edited from the Nest Home.

1. Select Protocol Editor

Show Table of Contents

Protocol

Edit

Objective

Update the meta-analysis **Comparison of Balloon Guide Catheters and Standard Guide Catheters for Acute Ischemic Stroke: A Systematic Review and Meta-Analysis** <https://pubmed.ncbi.nlm.nih.gov/34280538/>
DOI:[10.1016/j.wneu.2021.07.034](https://doi.org/10.1016/j.wneu.2021.07.034)

Personnel

Role	Name
Previous Study Import	Erin Sheffels
Dual Screening	Hannah Lyons Nicole Hardy
Screening Adjudication	John Pederson
Tagging	Hannah Lyons Nicole Hardy
Dual Extraction	Hannah Lyons Nicole Hardy
Extraction Adjudication	John Pederson

NotesYour MentionsAll Mentions

Nicole Hardy

9/19/22, 12:25 PM

@John Pederson @Erin Sheffels @Hannah Lyons @Kevin Kallmes

Updates:

- I extracted both the matched and unmatched data.
- I haven't dealt with the ENT/DE data from Kang because it's the only paper with this issue. Let me know if there is something particular you want me to do (create a separate data element)

@Hannah Lyons You might need to re-

B I U

@

Comment

Write the Protocol

Add headers, bullet points, and bold font. There is no one-size-fits all formula for a protocol! The goal of a 'best practices' protocol should be: enable someone unfamiliar with the project to carry out any of the Search, Screening, Tagging, Extraction, or interpretive tasks in your project in the same way that you, as project lead, would do.

Show Table of Contents

ProtocolDescription

Objective

To determine the importance of screening for Dihydropyrimidine Dehydrogenase (DPD) deficiency in patients undergoing 5-FU based chemotherapy

Scope

Clinical trials, retrospective studies or prospective studies evaluating outcomes related to toxicities in patients undergoing 5-FU based chemotherapy with DPD deficiency versus with no DPD deficiency.

Primary Outcomes

- Risk of Severe adverse effects (*grade 2 or above*) in population with dpd deficiency
- Allele frequency
- Prevalence of dpd deficiency in patients undergoing 5\ -fu based chemotherapy for various cancers

Secondary Outcomes

- Effect of combination therapies
- Type of combination drug attributable to the serious adverse effect
- Type of the serious adverse effects with the therapy
- Percentage of DPD negative patients with adverse effects
- Percentage of DPD positive patients with no adverse effects

Linking to External Resources

You can link to any external resource by highlighting relevant text and then selecting the “link” icon!

Organizational Protocol Templates

If your Organization has created Protocol Templates, you can import them by clicking “Import Template” in the upper right hand corner.

To see instructions on how to create Organizational Templates, see [here](#).

Protocol Best Practices

To see general practice recommendations on protocol drafting (and a generic template), see [Protocol Best Practices](#).

From:
<https://wiki.nested-knowledge.com/> - **Nested Knowledge**

Permanent link:
<https://wiki.nested-knowledge.com/doku.php?id=wiki:autolit:admin:protocol&rev=1666126102>

Last update: **2022/10/18 20:48**

