

Dual Extraction

Dual Extraction is a quality-controlled extraction process, where two users independently extract data from each article, and then all data are adjudicated by an Administrator.

The Admin adjudicates any disagreement between Reviewer A and Reviewer B and sets the final determination for each study. For example, if Reviewer A extracts the mean age as 70 but Reviewer B extracts it as 71, the Adjudicator will then need to choose between those values and identify the correct one.

Only those with Admin privileges can serve as Adjudicators, but any user can serve as a Reviewer

This feature is useful to ensure that your team curates the most accurate and high quality data possible. Dual extraction can help with this since it has been shown that dual extraction results in fewer errors than single extraction. ([source](#))

Configure Dual Extraction

To configure dual extraction, go to the Admin page under settings and then scroll to the Extraction section. Then, toggle to dual extraction to turn this feature on.

Nest Home

Dashboard

Settings

Literature Search

3 / 3

Other Sources

Duplicate Review

Search Exploration

Query Builder

Screening

277 / 279

Configure Screening

Tagging

4 / 4

Configure Tagging

Extraction

4 / 4

Configure Extraction

Risk of Bias

4 / 4

Study Inspector

Synthesis

Manuscript Editor

Abstract Editor

Export

Extraction

Extract:

Checking this box will make the extraction module available in AutoLit, allowing you to extract data.

☒ Data Extraction

Dual vs. Standard Extraction

In Standard Extraction, one user extracts each study and that data is considered final. Another user may review or modify final data, but the data is not subject to systematic independent confirmation.

In Dual Extraction, two users independently extract each study and all data are reviewed by an administrator. The administrator adjudicates disagreements between the original reviewers and generates the final data set.

☐ Standard ☒ Dual



Warning: Toggling back from Dual Extraction to Standard Extraction will **ONLY** save final adjudications, and **all data associated with non-final individual users' extractions will be lost!**

Dual Extraction Steps

1. Two users must independently extract the data.

Once Dual Extraction is configured (see above), The software will automatically queue individual studies to users until at least two Extractions are Marked Complete.

If you need help with the Extraction process, check out [this page](#). Each study will appear in the Adjudicate Extraction queue only after two independent extractions are Marked Complete.



Unlike Standard (single) Extraction, when a user is finished extracting in Dual mode, the data are NOT displayed on Synthesis. In Dual Extraction, data are queued for Adjudication, and displayed on Synthesis only after Adjudication on the study in question is Marked Complete.

2. Adjudicate the data

Go to the Adjudicate Extraction page to review the data extracted by the two independent, underlying users. At first the page will appear the same as the Dual Extraction page. To view the two independent decisions, expand the right hand tabs by clicking the arrows icon in the left corners.

AbstractFull TextSupplementsRelated Reports

800960

PMC

Navigation

BackSkipComplete

Study Design

Final

Arms

InterventionArm Size

Extracted Data

Filter Data Elements

Add one or more arms

J Antimicrob Chemother 2020; 75: 3379–3385
doi:10.1093/jac/dkaa334 Advance Access publication 19 August 2020

Journal of Antimicrobial Chemotherapy

Sofosbuvir and daclatasvir compared with standard of care in the treatment of patients admitted to hospital with moderate or severe coronavirus infection (COVID-19): a randomized controlled trial

Anahita Sadeghi¹, Ali Ali Asgari¹, Alireza Norouzi², Zahedin Kheiri³, Amir Anushirvani¹, Mahnaz Montazeri⁴, Hadiseh Hosamirudsai⁵, Shirin Afhami⁶, Elham Akbarpour¹, Rasoul Aliannejad⁷, Amir Reza Radmard⁸, Amir H. Davarpanah⁹, Jacob Levi¹⁰, Hannah Wentzel¹¹, Ambar Qavi¹¹, Anna Garratt¹², Bryony Simmons¹³, Andrew Hill¹⁴ and Shahin Merat^{1*}

Download

This will display three columns: Reviewer A, Reviewer B, and Final. The adjudicator will put the correct data in the Final column, adjudicating differences between the reviewers. Disagreements between reviewers are highlighted in red. The adjudicator can choose to input the same data as either of the reviewers or neither of them if they were both wrong. To enter in data, hit the plus sign and fill in the cells. You may use the arrows icon to toggle between viewing reviewer decisions and the study. When done, to move on to the next study, hit Complete in the top right corner.

Navigation

BackSkipComplete

Study Design

Arms

Reviewer A

Reviewer B

Final

| Intervention | Arm Size | Intervention | Arm Size | Intervention | Arm Size |
|--------------|----------|--------------|----------|--------------|----------|
| Daclatasvir | 12 | Daclatasvir | 11 | | |
| Sofosbuvir | 10 | Sofosbuvir | 10 | | |

+

Extracted Data

Filter Data Elements

Reviewer A

Reviewer B

Final

Age Median

Asthma

| Timepoint | Time | Units | Timepoint | Time | Units | Timepoint | Time | Units |
|-------------|--------|-------|-------------|--------|-------|-----------|--------|-------|
| Baseline | 5 | Days | Baseline | 5 | Days | Baseline | 0 | Days |
| Arm | Events | Total | Arm | Events | Total | Arm | Events | Total |
| Daclatasvir | 2 | 12 | Daclatasvir | 4 | 11 | | | |
| Sofosbuvir | 1 | 10 | Sofosbuvir | 3 | 10 | | | |

+

Cancer

+

From:
<https://wiki.nested-knowledge.com/> - Nested Knowledge

Permanent link:
<https://wiki.nested-knowledge.com/doku.php?id=wiki:autolit:extraction:dual&rev=1668876905>

Last update: 2022/11/19 16:55