# Duplicate Review

Why Review Duplicates?

AutoLit provides automatic de-duplication, meaning that whenever you complete multiple searches (or import multiple RIS/nBIB files), an algorithm compares the DOI, PMID, PMCID, title, and abstract, and keeps only one version of any studies that match across these fields with a high enough certainty. However, if you want to ensure that all de-duplicated records are in fact duplicates, this page enables manual review of all de-duplication decisions.

Navigate to the Duplicate Review Page

To view duplicates, under Literature Search, select "Duplicate Review" (red box).

Alternatively, you can access the same page via the main Literature Search page, which provides the total duplicates that were automatically de-duplicated:

Downloading the Duplicate Queue

> ⚠️ **Prior to clearing any records from the duplicate records, you may want to download a spreadsheet of duplicates found. It is important to do this BEFORE making any individual decisions or clearing the queue if you want a full record of all duplicates!**

The spreadsheet will only download records that are still in the queue.

To do this, click "Download Queue"

				Duplicate Queue		
Title ⇅	**Author** ⇅	**Year** ⇅	**Time of Search** ↓	**Search** ⇅	**Duplicate Type** ⇅	**Reason** ⇅
A Phase 3 Study of Efficacy and Safety of Remibruti…		2021	Jun 12, 2023	ClinicalTrials.gov: AREA[OverallStatus] EXPAND[Ter…	Duplicate	Detected similarity on title (Jaro-W…
A Phase III Study of Safety and Efficacy of Ligelizum…		2018	Jun 12, 2023	ClinicalTrials.gov: AREA[OverallStatus] EXPAND[Ter…	Duplicate	Detected similarity on title (Jaro-W…

2 Duplicates

Clearing the Duplicate Queue

As noted above, ONLY clear duplicates that you do not need records of in AutoLit, such as after downloading the Duplicate Queue.

Clicking the "Clear Queue" button will remove all duplicates from this queue permanently and confirm that the records in question were correctly de-duplicated.

This is **optional**– no clearing of the queue is required in order to move forward in the nest.

Review Duplicate Records

After downloading the spreadsheet of duplicates, you are free to explore the list of all records that were removed from the nest as duplicates of existing records. While the basic information about the record is shown in the table, to review an individual record, click on the row to open the Duplicate Review modal.

				Duplicate Queue		
Title ⇅	**Author** ⇅	**Year** ⇅	**Time of Search** ↓	**Search** ⇅	**Duplicate Type** ⇅	**Reason** ⇅
A Phase 3 Study of Efficacy and Safety of Remibruti…		2021	Jun 12, 2023	ClinicalTrials.gov: AREA[OverallStatus] EXPAND[Ter…	Duplicate	Detected similarity on title (Jaro-W…
A Phase III Study of Safety and Efficacy of Ligelizum…		2018	Jun 12, 2023	ClinicalTrials.gov: AREA[OverallStatus] EXPAND[Ter…	Duplicate	Detected similarity on title (Jaro-W…

2 Duplicates

Alternatively, you can "Clear Queue" and make a bulk decision for all records in the queue. You can decide to keep all the duplicates as separate records, or drop all duplicates, which automatically removes them from your nest.

Manually Edit De-duplication

Once you have selected a record, you can see and edit the bibliographic information of both the record that was kept in the nest and the record that was removed as a duplicate. Any differences in bibliographic information are presented in red text to highlight potential differences. From this page, you can do several things:

1. Override De-duplication

If the de-duplication was in error (and both records should be added to the nest as separate studies),

select "Keep Both Records Separately" to over to insert each one into your nest.

2. Confirm De-duplication

If, upon review, a de-duplication decision that you are reviewing is correct, you can click "Keep only this record," "cancel," or click out of the modal to confirm the de-duplication decision.

As noted above, **if you select "Keep only this record," the duplicate will be permanently removed from this queue!**

3. Edit the Record

If the bibliographic information for the record that was kept is incorrect, you can edit it from this portal. To edit, click on any field and type in the correct bibliographic information.

4. Merge to Fill Fields

While you can edit records by typing into each field (see above), you also have the option to auto-fill information from a de-duplicated record into the record you are keeping.

To 'fill fields' from the record on the right to the record on the left (i.e. from the duplicate record to the record that was kept in the nest), select "Merge to Fill Fields" at the bottom of the modal. This will

result in:

- Any field that is empty on the left but filled on the right, being copied to the left.
- Any field that is filled on the left being left unchanged.

5. Reset to Original Fields

Made an error and want to revert back to the original inputs? Click Reset.

Implications for PRISMA

Based on the PRISMA 2020 Guidelines, Duplicate records are noted in the "Records Removed before Screening" section:

Identification of new studies via databases and registries

Identification of new studies via other methods

Records identified from:

Embase (n=345)
PubMed (n=739)

Records removed prior to screening:

Duplicate records removed (n=105)
Records still awaiting screening (n=51)

Records identified via:

Expert Recommendation (n=14)

Records Screened (n=928)

Records excluded (n=846)

Cohort Study (n=24)
Correspondence (n=1)
Does not report patient outcomes (n=2)
Does not report patients with heart failure with reduced ejection fraction (n=148)
Does not report therapies of interest (n=52)
Duplication (n=5)
Editorial (n=14)
In vivo (n=4)
Methods article (n=25)
No Ivabradine (n=1)
Not Published in English (n=2)
Not an RCT (n=9)
Not outcomes of interest (n=15)
Potential bias in patient population (n=38)
Prospective non-randomized study (n=9)
Protocol (n=38)
Retrospective study (n=72)
Sub-analysis of RCT (n=38)
Systematic Review/Metanalysis (n=221)
cost effectiveness analysis (n=8)
pediatrics (n=3)
secondary analysis (n=117)

Reports sought for retrieval (n=82)

Reports not retrieved (n=0)

Reports sought for retrieval (n=14)

Reports not retrieved (n=0)

Reports assessed for eligibility (n=82)

Reports excluded (n=67)

Based on retracted study (n=1)
Cohort Study (n=1)
Does not report patient outcomes (n=3)
Does not report patients with heart failure with reduced ejection fraction (n=15)
Does not report therapies of interest (n=2)
Duplication (n=14)
Editorial (n=1)
Methods article (n=4)
Not a pharmacological treatment (n=1)
Not an RCT (n=7)
Not outcomes of interest (n=1)
Potential bias in patient population (n=2)
Reports patients with ejection fraction above 45 percent (n=1)
Retrospective study (n=5)
ST-Segment Elevation Myocardial Infarction (n=1)
Sub-analysis of RCT (n=2)
Valsartan Heart Failure Trial (n=2)
secondary analysis (n=4)

Reports assessed for eligibility (n=14)

Reports excluded (n=3)

Potential bias in patient population (n=1)
Sub-analysis of RCT (n=2)

Studies included in review (n=26)

Reports of new included studies (n=26)

See our PRISMA page for more details on tracking studies through Search and Screening.

From:

https://wiki.nested-knowledge.com/ - **Nested Knowledge**

Permanent link:

https://wiki.nested-knowledge.com/doku.php?id=wiki:autolit:search:duplicates&rev=1701865732

Last update: **2023/12/06 12:28**