

# Study Inspector

The Study Inspector is a search, filter, and edit page for all studies in your nest. From Study Inspector, you can [perform any action](#) (Screen, Tag, Extract, or Critical Appraisal analysis) on individual references, and also edit any study's [bibliographic information](#). You can also use [Bulk Actions](#), [download/export content](#) from your nest, and [use our Exploration tools](#) on studies in the nest.

## Finding and Filtering in Study Inspector:

Inspector filters are a way to sort and search all studies within a nest by a given attribute, action performed or position within the workflow. They can be used in tandem with bulk actions to assign an action to a specific group of studies such as bulk exclusion of studies or reviewing metadata of a certain subset of studies.

### 1. Navigate to the Study Inspector

From the Nest menu, click on “Study Inspector.”



Study Inspector

### 2. Filter the Study Inspector

Click on “Add Filter” or begin typing what you would like to filter by. You can filter by TIAB (Title and Abstract text), author, date, status (such as Screening Status, which filters to included, excluded, or unscreened), or tag. The “Add Filter” drop-down enables you to construct your own filter; if you simply start typing in the text box to the right ( **red box** ), the page will predict the filter you would like to construct, and you can select based on the options presented.

You can use multiple filters, which are layered on top of each other (e.g. filtering to “Screening Status: Included” and “Title/Abstract: Randomized” will filter to all included articles with the word “randomized” in the title or abstract). Filtering the Study Inspector also enables you to use [Bulk Actions](#) on the studies to which you have filtered. For a detailed list of the types of filters available, check out the [Study Inspector Filters page](#).

Study Inspector

Bulk Actions

Download

Clear Filters

Add Filter

Inc

Filter to Included

Author search inc

Title/Abstract search inc

Full Text search inc

Title	Author	Publication Year	Final Screening Status	...
Dairy Product Consumption and Incide	urnk, Isabel AI	2023		
Effect of Cheese Intake on Cardiovascul	Hu, Meng-Jin	2022	Included	
Avocado Consumption and Risk of Cardiovascular ...	Pacheco, Lorena S	2022	Included	
Associations Between Dietary Patterns and Inciden...	Gao, Min	2022		
Dietary patterns, dietary nutrients and cardiovascul...	Nestel, Paul J	2022		
Dairy Foods: Is Its Cardiovascular Risk Profile Cha...	Nestel, Paul J	2022		
Dietary Fatty Acids, Macronutrient Substitutions, F...	Steur, Marinka	2021		
Cow's Milk and Dairy Consumption: Is There Now ...	Popplitt, Sally D	2020		
Identifying environmental risk factors and gene-env...	Addissie, Yonit A	2021		
Total Fermented Dairy Food Intake Is Inversely Ass...	Buziau, Amée M	2019		
Full-Fat Dairy Food Intake is Associated with a Low...	Kummer, Kim	2019		
Fatty acid biomarkers of dairy fat consumption and ...	Imamura, Fumiaki	2018		
Association of dairy intake with cardiovascular dise...	Dehghan, Mahshid	2018		
Associations of Dairy Intake with Incident Prediabe...	Hruby, Adela	2017		
Dietary patterns reflecting healthy food choices are...	Ahola, Aila J	2017		
Whole dairy matrix or single nutrients in assessme...	Thorning, Tanja Kongerslev	2017		
Short-Term Hypoxia Reverses Ox-LDL-Induced CD...	Chen, Yeh-Peng	2017		
Dietary patterns are associated with various vascul...	Ahola, Aila J	2016		
Association of the consumption of common food gr...	Illic, Milena	2016		
[Effect of fats on cardiovascular disease prevention...	Astrup, Arne	2014		
Acute effects of pistachio consumption on glucose ...	Kendall, C W C	2014		

Details

Explore

Displaying 38 matching records 

Load All

# Adjusting the Columns in Inspector

You can select the columns that you want to view in Inspector by clicking on the three dots to the far right of the Inspector header row. Any columns you select will be added to the Inspector view and, if you wish to Download data, these columns are alsoadded to the spreadsheet.

Click on any of the following to add them as columns in Inspector:

- Title
- Author
- Abstract
- Publication Year
- Journal
- Volume
- Issue
- Pages
- Time of Retrieval: This refers to the date the record was imported into the nest.
- Final Screening Status
- If Dual mode is turned on you will see the following filters:
  - Your Screening Status: This refers to the screening decision you made for the record
  - Screening Adjudicated By: The user's name that adjudicated the record is displayed
  - Reviewer Screened By: The users' names that reviewed the record are displayed
- If Dual Two Pass mode is turned on, you will see the following filters:
  - Your Full Text Screening Status: This refers to the FT screening decision you made for the record

- **Abstract Screening Status:** This refers to the final abstract screening decision made for the record
- **Your Abstract Screening Status:** This refers to the abstract screening decision you made for the record
- **FT Screening Adjudicated By:** The user's name that adjudicated the record after FT screening is displayed
- **Reviewer FT Screened By:** The users' names that reviewed the record at the FT level are displayed
- **AB Screening Adjudicated By:** The user's name that adjudicated the record after Abstract screening is displayed
- **Reviewer AB Screened By:** The users' names that reviewed the record at the abstract level are displayed
- Tagging: This refers to Complete or Incomplete module status
- Extraction: This refers to Complete or Incomplete module status
- Critical Appraisal: This refers to Complete or Incomplete module status
- Inclusion Probability: If turned on, this refers to the calculated inclusion probability for the record
- Tags: A list of tags applied
- DOI
- PubMed ID
- Embase ID
- External ID
- NCT ID
- Ref ID: This refers to the number in which the record was imported into the nest (where 1 was the first)
- Full Text Status: This refers to if and how the Full Text was uploaded
- Author List
- Full Citation ([JAMA format](#))
- Related Report Family: If the record is part of a related report family, the name will be displayed

Click on any column that has a check mark next to it (indicating it is a current column) to remove it. Make sure to avoid adding too many columns to limit crowding!

## Quick Guide: Download and Bulk Actions

Inspector is the location for two very important activities: Downloading/exporting and completing Bulk Actions.

### Download from Inspector

Download enables you to download content from your nest—either for all studies, or for a specific set of studies you filter to. For full instructions, see [here](#).

Quick Guide:

- First, apply all filters to determine which records will be exported.
- Then, make sure that you have the Columns in Inspector you want exported. The Inspector columns will all be exported into any CSV output!

- Only once filters and columns are ready, **Click Download** in the upper right.
- Select the content that you want exported (e.g. to get metadata, click Studies. to get tags, click Tags).
- If relevant, provide any other details (e.g. if you want a RIS file for Studies instead of a CSV, or whether you want Tables to export for Tags).
- Click “Download” within the modal. Your file should appear in your local Downloads!

## Bulk Actions

Bulk Actions allow you to complete certain steps (changing screening status, uploading full texts, editing module status, etc.) on studies; for full instructions, see [here](#).

The screenshot shows the 'Study Inspector' interface for 'Acute Ischemic Stroke - RCTs'. On the left is a sidebar with navigation links: Nest Home, Literature Search (2/2), Dual Screening (395/395), Tagging (16/22), Extraction (22/22), Risk of Bias (22/22), Study Inspector, and Synthesis. The main area displays a table of studies with columns: Title, Author, Publication Year, and Final Screening Status. A red box highlights the 'Bulk Actions' button in the top right corner of the table area. Another red box highlights the 'Add Filter' dropdown menu. The table lists 12 studies, all with a 'Final Screening Status' of 'Included'. At the bottom right, it says 'Displaying 22 matching records' with a 'Load All' button.

Title	Author	Publication Year	Final Screening Status
Thrombectomy within 8 hours after sym...	Jovin, Tudor G	2015	Included
Stent-retriever thrombectomy after intra...	Saver, Jeffrey L	2015	Included
Randomized assessment of rapid endova...	Goyal, Mayank	2015	Included
Endovascular Thrombectomy with or wit...	Yang, Pengfei	2020	Included
Safety and Efficacy of a 3-Dimensional St...	Nogueira, Raul G	2018	Included
Effect of Endovascular Contact Aspiration...	Lapergue, Bertrand	2017	Included
Effect of Endovascular Treatment Alone v...	Zi, Wenjie	2021	Included
Effect of Mechanical Thrombectomy Wit...	Suzuki, Kentaro	2021	Included
Endovascular therapy for ischemic stroke ...	Campbell, Bruce C V	2015	Included
Thrombectomy for Stroke at 6 to 16 Hour...	Albers, Gregory W	2018	Included
Thrombectomy 6 to 24 Hours after Strok...	Nogueira, Raul G	2018	Included
Aspiration Thrombectomy After Intraven...	Mocco, J	2016	Included
Aspiration thrombectomy versus stent re...	Turk, Aquilla S	2019	Included

### Quick Guide:

- First, **apply all filters that narrow in on the studies you want to complete an action on!** If you 'bulk act' before filtering, you will execute the action on a wider range of studies than intended.
- Then, click Bulk Actions in the upper right.
- Select your Bulk Action of interest – e.g., if you want to bulk-alter Screening Decisions, select “Update Screening”.
- If Updating Screening, Tags, Module Status, or importing Full Texts, follow the instructions in the modal. For example, if altering a Screening Decision, you may need to select “Full Text Screening” and “Final Decisions” if you are in Dual, Two-pass mode.
- Complete the bulk action and wait for the job to complete. Optionally, you can click out of the progress modal; the job will continue in the background.

## Completing Actions on Individual Studies in Inspector

## 1. Opening the Study Modal

Once you have filtered to the list of studies of interest, you can screen, tag, or extract by clicking on the study in question; this opens the Study Modal. The modal opens to the module that was selected as the preset; so, if you opened the Screening Study Inspector, for instance, you will be able to screen the study in question.

## 2. Completing Actions

The modal enables you to **Screen**, **Tag**, and **MA Extract** the study that you have opened. In the modal, the actions are completed in the same way they are completed in the sequential screen/tag/extract modes. Here, you can see a study that is opened to the Screening module; the screening actions ( **red square** ) indicates that this study has been included. Once you complete an action, you can click the arrow keys to the left and right of the modal ( **red circles** ) to move up and down the list of studies available in Study Inspector.

Endovascular thrombectomy and medical therapy versus medical therapy alone in acute stroke: A randomized care trial.

Original Article

Endovascular thrombectomy and medical therapy versus medical therapy alone in acute stroke: A randomized care trial

Naim N. Khoury<sup>a</sup>, Tim E. Darsaut<sup>b</sup>, Jimmy Ghostine<sup>a</sup>, Yan Deschaintre<sup>c</sup>, Nicole Daneault<sup>c</sup>, André Durocher<sup>c</sup>, Sylvain Lanthier<sup>c</sup>, Alexandre Y. Pope<sup>c</sup>, Céline Odier<sup>c</sup>, Louise-Hélène Lebrun<sup>c</sup>, François Guilbert<sup>a</sup>, Jean-Christophe Gentric<sup>a,d</sup>, André Batista<sup>a</sup>, Alain Weill<sup>a</sup>, Daniel Roy<sup>a</sup>, Serge Bracard<sup>e</sup>, Jean Raymond<sup>a,\*</sup>, for the EASI trial collaborators

<sup>a</sup> Centre hospitalier universitaire de Montréal, Notre-Dame hospital, department of radiology, 1560, Sherbrooke east, Pavillon Simard, suite Z12909, H2L 4M1 Montréal, Quebec, Canada  
<sup>b</sup> Department of surgery, division of neurosurgery, university of Alberta hospital, Mackenzie health sciences centre, Edmonton, Alberta, Canada (TED)  
<sup>c</sup> Centre hospitalier universitaire de Montréal, Notre-Dame hospital, department of medicine, division of neurology, 1560, Sherbrooke east, H2L 4M1 Montréal, Quebec, Canada  
<sup>d</sup> Groupe d'étude de la thrombose en Bretagne Occidentale (GETBO, EA 3878), 29609 Brest cedex, France  
<sup>e</sup> Service de neuroradiologie diagnostique et thérapeutique, hôpital Central, CHU de Nancy, 54000 Nancy, France

ARTICLE INFO

Article history:  
Available online 24 February 2017

Keywords:  
Acute stroke  
Endovascular treatment  
Thrombectomy  
Randomized clinical trial

ABSTRACT

**Background.** – Until recently, the benefits of endovascular treatment in stroke were not proven. Care trials have been designed to simultaneously offer yet-to-be validated interventions and verify treatment outcomes. Our aim was to implement a care trial for patients with acute ischemic stroke.

**Methods.** – The study was offered to all patients considered for endovascular management of acute ischemic stroke in one Canadian hospital. Inclusion criteria were broad: onset of symptoms ≤ 5 h or at any time in the presence of clinical-imaging mismatch and suspected or demonstrated proximal large vessel occlusion. Exclusion criteria were few: established infarction or hemorrhagic transformation.

Dual Screening

Full Text Review ☒  
Full Text Uploaded!   
Exclusion Reason   
Included

Tagging

Tag	Text
Male Sex	Table 1
Eligible for IVT	Table 1
Distal emboli	Figure 1
IVT alone	Standard manage...
Number of Patients with IVT	Table 1
Up to 5 Hours	Inclusion criteria wer...
Age (Median)	Table 1
NIHSS (median) Baseline	Table 1

Select Tag   
Enter Text

Comments   
History

You can unscreen a single study by going to Study Inspector and then opening the screening tab in the Study Modal. If you click on the “i” icon next to the screening decision, you can “unscreen” that study to put it back in the screening queue to review later.



Screening

Full Text Review ☒  
Full Text Uploaded!   
Review/meta-analysis   
Exclude ☒

Tagging


Tag	Text
Enter Text	

Select Tag   
Enter Text

Comments (0)   
History

### 3. Toggling Modules

To switch between modules, toggle the buttons in the upper right of the modal ( **red outline** ). Regardless of how you opened Study Inspector, you can Screen, Tag, and/or Extract within the modal. Note: If the Nest is in **Dual Screening** mode, you will have a fourth option of Adjudication shown as a toggling option (black outline) if you have **Admin** privileges; this page is not available to users.



**Warning:** If the Nest is in Dual Screening mode, changes made in the Screening module **will not alter the final/adjudicated Screening Status of the study**. Instead, the change will queue another user screening decision to be adjudicated. To alter final/adjudicated Screening Status from the Study Modal, an Admin must use the Adjudication module to select a finalized option.

### 5. Marking Modules Complete/Incomplete for Individual Records

Marking a module "Complete" removes it from the queue in the corresponding module and marking a module "Incomplete" puts the record back into the queue in the corresponding module. Regardless of module status, records are always editable in Study Inspector. This is specific to the Tagging, Extraction and Critical Appraisal modules.

To do this, you can filter to a group of studies and use Bulk Actions (above) and you can also do this within individual studies. Under each menu, open the "History" tab, select Module Status Dropdown and select Complete or Incomplete.

AbstractFull TextSupplementsRelated Reports

390390PMC

ScreenTagExtractRoB

Infect Dis Ther (2021) 10:2489–2509  
https://doi.org/10.1007/s40121-021-00517-4

ORIGINAL RESEARCH

### Efficacy and Safety of Favipiravir in Moderate COVID-19 Pneumonia Patients without Oxygen Therapy: A Randomized, Phase III Clinical Trial

Masaharu Shinkai · Kenji Tsushima · Shingo Tanaka · Eri Hagiwara · Norihito Tarumoto · Ichiro Kawada · Yuji Hirai · Sho Fujiwara · Yuko Komase · Takeshi Saraya · Hidefumi Koh · Naho Kagiya · Megumi Shimada · Daiki Kanou · Shinichi Antoku · Yujiro Uchida · Yutaka Tokue · Mikio Takamori · Yasuhiro Gon · Kenya Ie · Yoshitaka Yamazaki · Kazumasa Harada · Naoki Miyao · Takashi Naka · Mitsunaga Iwata · Atsushi Nakagawa ·

Tagging

Tag Recommendations

Comments (0)

History

Tagging Status: Complete

Complete

Incomplete

Search Terms: (Lopinavir OR Ritonavir O..., Search Engine: Embase

IncludedN. Hardy09/01/2021, 07:32 AM

6. Edit Bibliographic Information

To edit the bibliographic information associated with a study, find it in Inspector. In the Abstract view, select the “Edit” button next to the Bibliographic Fields. In the modal that pops up, edit any of the Bibliographic Fields.

7. Using Nested Knowledge's Reference ID (Ref ID)

Nested Knowledge automatically generates a Ref ID for every record that can be used for filtering, bulk actions, and allocation. See details [here](#).

Explore from Inspector

If you have questions about the contents across your included records, you can use [Explore from Inspector](#), where the RoboPICO, Topic Modeling, and Keyword frequency can be applied to any subset of studies from your nest.

INESTED KNOWLEDGE

AboutDocsSupportAutoLitNicole

Study Inspector: Hematological malignancies

Nest Home

DashboardSettings

Literature Search2 / 2

Other Sources

Duplicate Review

Search Exploration

Query Builder

Screening624 / 795

Configure Screening

Tagging23 / 24

Configure Tagging

Extraction23 / 24

Configure Extraction

Study Inspector

Synthesis

Manuscript Editor

Abstract Editor

Export

Study Inspector

Bulk ActionsDownload

Add FilterFinal ScreeningIncludedStart TypingClear Filters

Title	Author	Publication Year	Final Screening Status	
Haematological malignancy and nosocomial...	Bhogal, Talvinder	2021	Included	
Characteristics and outcomes of coronavir...	Nakamura, S.	2021	Included	
Cancer increases risk of in-hospital death f...	Li, Qiubai	2020	Included	
Clinical characteristics and risk factors for ...	Liang, Junnan	2021	Included	
Clinical Characteristics of COVID-19-Infect...	Asghar, Kashif	2021	Included	
Factors associated with SARS-CoV-2 infec...	Goudsmit, Anouk	2021	Included	
Case Fatality Rate of Cancer Patients with ...	Mehta, Vikas	2020	Included	
Cancer history is an independent risk fact...	Meng, Yifan	2020	Included	
COVID-19 outcomes in hospitalized patien...	Fu, Chen	2021	Included	
More Severe COVID-19 in Patients With A...	Monari, Caterina	2021	Included	
Clinical Characteristics, Management, and ...	Dang, Michael K M	2021	Included	
Clinical Profile and Outcome of Critically Ill...	Kumar, Rakesh	2021	Included	
One-year mortality and consequences of ...	Chai, Chen	2021	Included	

DetailsExplore

Displaying 24 matching recordsLoad All

**Note:** Anytime there is a module box with the adjustable icon, you can drag to adjust the width of the box depending on your preference.

Nested Knowledge - <https://wiki.nested-knowledge.com/>



AbstractFull TextSupplementsRelated Reports

9111120PMC

ScreenTagExtractRoB

J Antimicrob Chemother 2020; 75: 3379–3385  
doi:10.1093/jac/dkaa334 Advance Access publication 19 August 2020

Jour  
Antin  
Cherr

Sofosbuvir and daclatasvir compared with standard of care for treatment of patients admitted to hospital with moderate to severe coronavirus infection (COVID-19): a randomized controlled trial

Anahita Sadeghi<sup>1</sup>, Ali Ali Asgari<sup>1</sup>, Alireza Norouzi<sup>2</sup>, Zahedin Kheiri<sup>3</sup>, Amir Anushirvani<sup>1</sup>, Mahdi Hadiseh Hosamirudsa<sup>3</sup>, Shirin Afhami<sup>6</sup>, Elham Akbarpour<sup>1</sup>, Rasoul Aliannejad<sup>7</sup>, Amir Reza Amir H. Davarpanah<sup>9</sup>, Jacob Levi<sup>10</sup>, Hannah Wentzel<sup>11</sup>, Ambar Qavi<sup>11</sup>, Anna Garratt<sup>12</sup>, Bryony Andrew Hill<sup>14</sup> and Shahin Merat<sup>1\*</sup>

<sup>1</sup>Liver and Pancreatobiliary Diseases Research Center, Digestive Disease Research Institute, Tehran University of Medical Sciences, Tehran, Iran; <sup>2</sup>Golestan Research Center of Gastroenterology and Hepatology, Golestan University of Medical Sciences, Golestan, Iran; <sup>3</sup>Department of Internal Medicine, Baharloo Hospital, Tehran University of Medical Sciences, Tehran, Iran; <sup>4</sup>Department of Infectious Diseases, Sina Hospital, Tehran University of Medical Sciences, Tehran, Iran; <sup>5</sup>Department of Infectious Diseases, Shariati Hospital, Tehran University of Medical Sciences, Tehran, Iran; <sup>6</sup>Department of Pulmonary and Critical Care, Shariati Hospital, Thoracic Research Center, Tehran University of Medical Sciences, Tehran, Iran; <sup>7</sup>Department of Radiology, Shariati Hospital, Tehran University of Medical Sciences, Tehran, Iran; <sup>8</sup>Department of Radiology, Shariati Hospital, Tehran University of Medical Sciences, Tehran, Iran; <sup>9</sup>Department of Radiology and Imaging Sciences, Emory University School of Medicine, Atlanta, GA, USA; <sup>10</sup>Department of Medicine, Hornet University Hospital, London, UK; <sup>11</sup>School of Public Health, Imperial College London, London, UK; <sup>12</sup>Imperial College London, London, UK; <sup>13</sup>Department of Infectious Disease, Imperial College London, London, UK; <sup>14</sup>Pharmacology and Therapeutics, University of Liverpool, Liverpool, UK

\*Corresponding author. E-mail: merat@tums.ac.ir

Received 29 May 2020; accepted 3 July 2020

**Background:** Currently no effective antiviral therapy has been found to treat COVID-19. The aim of this study was to assess if the addition of sofosbuvir and daclatasvir improved clinical outcomes in patients with moderate to severe COVID-19.

**Methods:** This was an open-label, multicentre, randomized controlled clinical trial in adults with moderate to severe COVID-19 admitted to four university hospitals in Iran. Patients were randomized into two groups: one receiving sofosbuvir and daclatasvir plus standard care, or a control arm receiving standard care alone. The primary endpoint was clinical recovery within 14 days of treatment. The study is registered with IRCT20200520045121N1.

Tagging

Tag	Contents
Sofosbuvir	control group, national treatment guidelines (200 mg daily, 400 ...)
Daclatasvir	Malignancy1 (3)2 (6)1.000
Open label	This was an open-label, multicentre, randomized controlled trial...
Sofosbuvir	experimental group, patients received single daily, 400 ...
Diabetes Mellitus	diabetes 17(52)11(33)
Hypertension	hypertension 12(36)11(33)
Control/Standard of Care	control arm receiving standard care alone
Asthma	asthma 1(3)1(3)1
Hydroxychloroquine	control group, national treatment guidelines (200 mg daily, 400 ...)
Daclatasvir	Sofosbuvir and daclatasvir compared

Select Tag

Enter Text

Apply Tag

Tag Recommendations

Comments (0)

History

From:  
<https://wiki.nested-knowledge.com/> - Nested Knowledge

Permanent link:  
<https://wiki.nested-knowledge.com/doku.php?id=wiki:autolit:utilities:inspector&rev=1702474565>

Last update: 2023/12/13 13:36