

# Quantitative Synthesis

Quantitative Synthesis displays the results of a nest's [extraction](#). Use this page to drill down on the outcomes of your research by Intervention or by study (**Summary** page), to see the distribution of results across individual studies (**Distribution** page), or view inferential statistics and forest plots for comparisons within your nest (**NMA** page).

## 1. Navigate to Quantitative Synthesis

From the Nest menu, click on “Synthesis” in the left hand menu.

NESTED

KNOWLEDGE

Home: Balloon Guide Catheter SR/MA - published 2021

Protocol

Nest Home

Dashboard

Settings

Literature Search

6 / 6

Dual Screening

226 / 239

Tagging

40 / 43

Extraction

40 / 43

Risk of Bias

8 / 43

Study Inspector

Synthesis

Manuscript Editor

Abstract Editor

Export

Show Table of Contents

Edit

Protocol: Balloon Guide Catheter Systematic Review and Meta-analysis

Literature Search and Study Selection

A Preferred Reporting Items for Systematic Reviews and Meta-Analyses (PRISMA)- compliant systematic review was undertaken using the PubMed database to identify studies using BGCs for treatment of stroke published between January 1, 2010, and February 8, 2021. Search strings included: 1) BGC or "balloon guide catheter" or "balloon guiding catheter") AND (stroke OR AIS); 2) (BGC OR "balloon guide" OR "balloon guiding" AND ("thrombectomy" OR "embolectomy"); 3) ("distal emboli" OR "clot fragmentation") AND "thrombectomy" AND (stroke OR AIS); and 4) ("proximal flow arrest") AND (stroke OR AIS).

Inclusion/Exclusion Criteria

Inclusion criteria were:

1) multi-arm studies reporting thrombectomy outcomes with BGCs or non-BGC approaches (stent retrievers, contact aspiration, combination therapy, and not specified/other);

2) randomized controlled trials and prospective registry/cohort studies; and

3) studies reporting patient angiographic and clinical outcomes of MT and/or intravenous thrombolysis for AIS based on therapy used.

Exclusion criteria were single-arm cohort studies, animal studies, case reports, meta-analyses, interim reports, editorials or letters to the editor, secondary analyses, comparisons of a single device, did not relate to the search topic, or those that did not report patient outcomes.

Detailed results of our study search, screening, and data-extraction process are hosted on the Nested Knowledge website (www.nested-knowledge.com). Three independent authors (A.B., N.H., S.M.) screened studies for eligibility. Eligible studies were then independently evaluated by another author (J.M.P.).

Variables and Patient Characteristics

Data from each study were independently extracted by 3 authors (N.H., M.S., S.M.) and confirmed by another author (J.M.P.). Demographic data and treatment characteristics collected included age, sex, baseline National Institutes of Health Stroke Scale (NIHSS) score, intravenous tissue plasminogen activator use, and onset-to-puncture time. Outcomes of interest included good clinical outcome (modified Rankin Scale [mRS] score of 0-2 at 90 days), 90-day mortality, complete recanalization (TICI 3), FPE TICI 3, puncture-to-recanalization time, number of passes required to achieve recanalization, distal embolization to new territory, and symptomatic intracerebral hemorrhage (sICH). Subgroup analyses were performed to compare outcomes among the following thrombectomy techniques: 1) stent retrievers, 2) aspiration, 3) combination therapies, and 4) stent-retrievers or aspiration (when studies did not separate outcomes by technique).

Notes

Your Mentions

All Mentions

Kevin Kallmes

11/17/21, 12:17 PM

@Ranita Tarchand Done!

Ranita Tarchand

11/17/21, 12:16 PM

@Kevin Kallmes Can I get Admin?

B

I

U

≡

≡

@

Comment

Then, from Synthesis Home, click on the “Quantitative Synthesis” section.

Nested Knowledge - <https://wiki.nested-knowledge.com/>

INESTED

KNOWLEDGE

About Docs Support AutoLit Nicole

Synthesis: Thrombectomy alone vs. Thrombectomy plus thrombolysis

Synthesis

Qualitative

Quantitative

Manuscript

Risk of Bias

PRISMA

Back to AutoLit

Abstract

Mechanical thrombectomy (MT) is now the standard-of-care treatment for acute ischemic stroke (AIS) of the anterior circulation and may be performed irrespective of intravenous tissue plasminogen activator (IV-tPA) eligibility prior to the procedure. This study aims to understand better if tPA leads to higher rates of reperfusion and improves functional outcomes in AIS patients after MT and to simultaneously evaluate the functionality and efficiency of a novel semi-automated systematic review platform.

The Nested Knowledge AutoLit semi-automated systematic review platform was utilized to identify randomized control trials published between 2010 and 2021 reporting the use of mechanical thrombectomy and IV-tPA (MT+tPA) vs. MT alone for AIS treatment. The primary outcome was the rate of successful recanalization, defined as thrombolysis in cerebral infarction (TICI) scores  $\geq 2b$ .

Four studies with 1,633 patients, 816 in the MT+tPA arm and 817 in the MT arm, were included in the meta-analysis. In each study, patient populations consisted of only tPA-eligible patients and all imaging and clinical outcomes were adjudicated by an independent and blinded core laboratory. Compared to MT alone, patients treated with MT+tPA had higher odds of eTICI  $\geq 2b$  (OR = 1.34 [95% CI: 1.10; 1.63]).

Administering tPA prior to MT may improve the rates of recanalization compared to MT alone in tPA-eligible patients being treated for AIS, but a corresponding improvement in functional and safety outcomes was not present in this review.

Key Insights:

No significant difference in 90-day mRS 0-2, sICH, 90-day mortality or distal emboli

View in Context

There were no statistically significant differences in the rates of 90-day mRS 0-2 (OR = 0.98 [95% CI: 0.77; 1.24]), 90-day mortality (OR = 0.94 [95% CI: 0.73; 1.21]), sICH (OR = 0.98 [95% CI: 0.77; 1.24]), or distal emboli (OR = 0.98 [95% CI: 0.77; 1.24]).

## 2. Explore Summary

In the top-middle of the page “Summary” is automatically selected:

About Docs Support AutoLit Nicole

Quantitative Synthesis: Thrombectomy alone vs. Thrombectomy plus thrombolysis

Summary

Distribution

NMA

Fixed Effects

Random Effects

Intervention	Outcome			Outcome			Outcome		
	TICI 2b/3			mRS 0-2			Mortality		
	(n/N)	%	[CI]	(n/N)	%	[CI]	(n/N)	%	[CI]
Interventions	1334/1599	84.4%	[81.0%, 87.3%]	747/1633	48.2%	[42.1%, 54.5%]	276/1633	16.5%	[14.0%, 19.4%]
▶ Mechanical thrombectomy	648/796	82.8%	[77.3%, 87.1%]	376/817	49.2%	[39.2%, 59.3%]	142/817	16.7%	[12.7%, 21.6%]
▶ Mechanical thrombectomy plus IVT	686/803	85.9%	[81.7%, 89.2%]	371/816	47.5%	[38.5%, 56.6%]	134/816	16.1%	[12.6%, 20.2%]

### Default Summary View

In the Default View:

- In the left column, **Interventions** are displayed down to the second level (that is, the nodes below the Root Node selected as Interventions).
- In the other 3 columns, **Data Elements** are displayed, and the most commonly-reported Data Elements are shown by default. In the cells below, results are broken down into:
  - For **Dichotomous variables**, the event rate (n), total population (N), percentage (see *Random/Fixed Effects*), and a 95% Confidence Interval.
  - For **Continuous variables**, the mean/median, standard deviation (SD)/range/interquartile range (IQR), and a 95% Confidence Interval.
  - For **Categorical variables**, the event rate (n) for each category, as well as the total population (N) upon hovering.

Note: All Data Elements are classified as Baseline or Outcome during timepoint selection. The Data

Element classification is displayed above each column upon selection.

From this Default View, you can manipulate the Interventions, Data Elements, and even statistic type to drill down on findings.

## Random vs. Fixed Effects

- **Random/Fixed Effects:** Across all Quantitative Synthesis pages, estimates and percentages displayed by Default are actually Random Effects calculations. To toggle to Fixed Effects (that is, an estimate based on an assumption of [constancy or non-randomness](#)), use the toggle in the upper right of the table.

## Expand Interventions

Click on an Intervention of interest to expand down to see its children. This can be done recursively, meaning that if your top-level Interventions have multiple layers below them, each click will expand the next level down.

## View Individual Underlying Studies

If there are no levels below a given Intervention, clicking on it will display the underlying studies and their associated Data Elements.


## Choose Data Elements / Columns

To choose different Data Elements, click on the drop-down at the top of a column, view the list of all Data Elements (with a bar that represents *data density*, or the rate at which it was reported across studies), and select the Data Element of interest.

---


## 3. Explore Scatter Plot

In the top-middle of the page “Distribution” is highlighted. This page shows statistical relationships between Interventions and tags such as “slCH” and “Mortality” in a scatterplot formation.



In this page, select the X and Y axes to designate the Data Elements of interest. This will generate a chart that shows the distribution of studies based on their rate of each Data Element. Furthermore, hovering over any node in the Distribution page will show you the study the node represents, and clicking on it will open a study modal showing the abstract, data, tags, and search history of that study.

**Histogram view:** To view a histogram of findings for a single data element, go to the Y Axis selector, and click on the first option, which looks like a blank field. This will generate a histogram showing the distribution of findings across studies with respect to one, not two, data elements.



## 4. Explore NMA

To navigate to the Network Meta-analysis (NMA), in the top-middle of the page, click "NMA".

To explore the functions of NMA, see the [Explore NMA page](#).

## Calculation Methods for Quantitative Synthesis

To see how statistics are calculated for Quantitative Synthesis, including for the NMA, see [here](#).

### Reorder or Hide Tags

Since the order of dropdown options reflects the order of tags in the tagging hierarchy, you may wish to reorder these tags. See instructions on [how to Reorder Tags](#).

If you wish to hide tags in Synthesis, [see instructions here](#). Tags will only be hidden in Synthesis and will still be present in AutoLit.

From:

<https://wiki.nested-knowledge.com/> - **Nested Knowledge**

Permanent link:

<https://wiki.nested-knowledge.com/doku.php?id=wiki:synthesis:quantitative&rev=1678736279>

Last update: **2023/03/13 19:37**